

Bag Filter Housings

ECOLINE™  
FLOWLINE™  
FLOWLINE II™  
POLYLINE™

SIDELINE™  
TOPLINE™  
MAXILINE™  
PROLINE™

DUOLINE™  
MODULINE™

Value, efficiency  
performance

**EATON**

*Powering Business Worldwide*

# Advanced solutions for a variety of filtration applications

Eaton is the leading manufacturer of bag filter housings. Whether it's for a standard application or an extremely demanding one, our creative innovations deliver greater filtration efficiency.

The selection of single bag filter housings ranges from those suitable for exacting, absolute filtration applications to high-quality housings designed especially for cost-sensitive applications, and everything in between. Multi-bag filter housings that accommodate up to 24 individual filter bags allow for flow rates of up to 4,227 GPM and are available in a number of different designs. Manufacturing plants around the world allow for adaptations that can help you meet local specifications.

Eaton offers a full range of filter bags—more than 1,500 choices in all—from economically sewn filter bags for standard applications, to welded, multi-layered bags for more demanding applications.

Our complete line of single and multi-bag housings come in everything from stainless steel to engineered plastic, meaning Eaton offers the right solution for any application and budget. Eaton's bag filtration systems help customers around the world meet their need for efficiency, safety, convenience and value.



# BAG FILTER HOUSINGS



**ECOLINE** single bag filter housing is a highly cost-effective solution for price-sensitive applications. It features a handy V-clamp closure and threaded couplings. Units come standard with filter bag size 01, 02, 03 or 04 and are available in stainless steel.



**FLOWLINE & FLOWLINE II** single bag filter housings are available in carbon or stainless steel for 01 or 02 filter bag sizes and multiple I/O configurations. Easy open cover has an integral handle, 1/4" vent or gauge ports and "no tools" closures. FLOWLINE II (not pictured here) features a one-piece body design.



**POLYLINE** single bag filter housing is constructed with glass fiber reinforced polypropylene or PVDF. It features superior corrosion resistance as well as high-pressure and temperature capabilities. The POLYLINE has one injection molded body meaning no seams or weak points.



**SIDELINE** single bag filter housing is a mid-priced, investment-cast filter suitable for most heavy duty industrial applications. Side inlet with evacuation cover prevents spillage of unfiltered liquid, allowing for clean and easy filter bag change-outs. Available in stainless steel. ASME coded.



**TOPLINE** single bag filter housing is simply the best—from its high-performance design to its investment-cast components. The top inlet design requires less headroom and directs liquid flow through the cover which improves sealing, reduces product loss and makes filter bag change-outs cleaner. ASME coded.



**MAXILINE & PROLINE** multi-bag filter housings are for high-volume applications demanding frequent filter bag change-outs. Available in a wide variety of configurations with 4 to 24 filter bags per housing. Options include: various input/output positions and sizes, material choices and closure designs.




**DUOLINE** multi-bag filter housing system is designed with two single bag filter housings fitted together at the inlet and outlet by a butterfly valve or ball valve assembly. Allows for continuous process flow even during filter bag change-outs.



**MODULINE** multi-bag filter housing system allows for continuous filtration and larger flow rates. This flexible system allows for isolation of each of the bag vessels in a compact and efficient assembly. Its space-saving design can be readily expanded with additional housing units and extra banks.

# SPECIFICATION CODES



HASTELLOY® is a registered trademark of Haynes International Inc.  
 Halar® is a registered trademark of Solvay Group.



## Eaton accessories, consumables and spare parts

The wide range of Eaton filter housing accessories makes it possible to custom design a housing to the exact specifications of your application, no matter how complex or unique it may be. Accessories also can be used to improve application processes or requirements. For example, displacement balloons make filter bag change-outs easier, and LOFNETIC magnetic inserts extend filter bag lifetime in applications where magnetic particles are encountered.



## QIC-LOCK™ Option MAXILINE Housings

The revolutionary QIC-LOCK opening mechanism is the answer to users' demands who work in an environment where productivity and safety are the key priorities. It is safe to use and simple and fast to operate. Standing in place, the operator can rotate the hand wheel and open the cover. There is no requirement to have full movement and access around the housing or use any tools as with conventional bolted closures.





Powering Business Worldwide

North America  
44 Apple Street  
Tinton Falls, NJ 07724  
Toll Free: 800 656-3344  
(North America only)  
Tel: +1 732 212-4700

Europe/Africa/Middle East  
Auf der Heide 2  
53947 Nettersheim, Germany  
Tel: +49 2486 809-0

**Intermomen** Product Line  
Friedensstraße 41  
68804 Altludersheim, Germany  
Tel: +49 6205 2094-0

**Begerow** Product Line  
An den Nahewiesen 24  
55450 Langenlonsheim, Germany  
Tel: +49 6704 204-0

China  
No. 3, Lane 280,  
Linhong Road  
Changning District, 200335  
Shanghai, P.R. China  
Tel: +86 21 5200-0099

Singapore  
4 Loyang Lane #04-01/02  
Singapore 508914  
Tel: +65 6825-1668

Brazil  
Av. Julia Gaioli, 474 –  
Bonsucesso  
07251-500 – Guarulhos, Brazil  
Tel: +55 11 2465-8822

For more information, please  
email us at [filtration@eaton.com](mailto:filtration@eaton.com)  
or visit [www.eaton.com/filtration](http://www.eaton.com/filtration)

© 2015 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

US  
0-2015

